


[bertima.it](http://bertima.it)



**EB9**

BUILT TO BE THE BEST

# NEW EB9

## THE HYDRAULIC MULCHER DESIGNED TO EXCEL

Designed for excavators **from 9 to 12 tons**, the new EB9 is the hydraulic brush cutter built for those who demand high performance and absolute reliability in every working condition.

Robust, precise, and engineered to last, it is designed to confidently handle the maintenance of embankments, roadsides, industrial areas, and green spaces requiring intensive intervention.

### **BUILT TO LAST OVER TIME**

The monocoque structure in Hardox is one of the EB9's key strengths.

A construction choice that ensures superior resistance to wear, impacts, and the most intense stresses, guaranteeing

solidity and operational continuity even in the most demanding applications.

### **HIGH PERFORMANCE, IMPECCABLE CUT**

Thanks to the reinforced rotor, high-efficiency transmission, and professional-grade Berti tools, the EB9 delivers a clean and uniform cut even on dense vegetation and tougher material, handling branches up to 8 cm in diameter.

### **EFFICIENCY THAT TRANSLATES INTO PRODUCTIVITY**

The optimized hydraulic system management and the Berti Fluid Box valve block ensure superior smoothness, control, and reliability.

This is complemented by a **centralized greasing system** and



9 - 12 T.



Ø 8 cm



a bolted bell-type leveling roller, designed to simplify daily maintenance. For professionals, it means one thing: **more productivity, every day.** The EB9 is the perfect combination of structural strength, cutting quality, and operational reliability. The difference is immediately visible. And even more so over time.

#### AVAILABLE ROTOR TYPES:

CUTTING TOOLS: HAMMERS "P"

CUTTING TOOLS: BLADES "YP"



	EB9 115	EB9 125	EB9 145
Working width (cm)	115	125	145
Hammers	10	12	14
Blades	30	36	42
Flow rate (l/min)	105-115	105-115	105-115
Pressure min-max (bar)	245-350	245-350	245-350
Belts	4	4	4
Width (cm)	146	156	176
Depth (cm)	82	82	82
Height (cm)	81	81	81
Saddle bracket (kg)	50	50	50
Min weight (kg)	550	600	700
Max weight (kg)	710	760	860



**BERTI MACCHINE AGRICOLE SPA**

Via Musi 1/A-3-4

37042 Caldiero (Verona) - Italy

+39 045 61 39 711

[bertima.it](http://bertima.it)

[info@bertima.it](mailto:info@bertima.it)

follow us:

